CONTENTS

		01	CABLE TRUNKING	04
			CABLE TRUNKING	05
			WITH DOUBLE LOCK	07
5			ELECTROTECHNICAL PIPES	09
			FLOOR CABLE TRUNKING	10
		02	GROUP SOCKET AND EXTENSION CORDS	12
(3)	1		GROUP SOCKET AND EXTENSION CORDS	13
			GARDEN EXTENSION CORDS	21
0			CABLE WITH PLUG	27
			EXTENSION REELS	29
	_	03	DISTRIBUTION BOXES	34
	-		FLUSH MOUNTED DISTRIBUTION BOXES	35
			SURFACE MOUNTED DISTRIBUTION BOXES	36
		04	ACCESSORIES	40
6.			PLUGS, ADAPTERS, SPLITTERS	41
	1		RUBBER CONNECTORS	44
		05	MOUNTING BOXES	46
			MOUNTING BOXES	47
			17100111110 DOMEO	71
			JUNCTION BOXES	48



CABLE TRUNKING

High-quality cable trunking are an indispensable part of effective electrical wiring branching. Our cable trunkings are made of non-flammable PVC, guarantee their reliability and safety under any operating conditions.

Thanks to their aesthetic design and various configurations, our cable ducts are perfect for laying cables on the surface of walls, floors, or ceilings, where embedded wiring is not an option. They provide a safe and aesthetic branching of wiring, solving safety and cable protection issues.

Our products have stood the test of time and are known for their reliability. You can be confident in the high quality of our cable ducts, which are easy to install and meet all modern electrical safety standards.

Choose our cable ducts for safety, efficiency, and impeccable appearance of your wiring.

CABLE TRUNKING

are a reliable and aesthetic solution for electrical wiring branching. Made from high quality non-flammable PVC, they are easily mounted on surfaces of walls, floors, or ceilings, ensuring safety and an organized appearance of the space. Choose our cable channel for reliability and ease of use.






Code	Name	Size, mm	Meters/ box	Weight box, kg	Length, cm	Width, cm	Height, cm	Volume, m3
NX3000	Cable trunking	12x12	160	8,95	205	13	10	0,0267
NX3001	Cable trunking	15x10	160	11,25	205	13	10	0,0267
NX3002	Cable trunking	16x16	96	8,80	205	14	10	0,0287
NX3003	Cable trunking	20x10	120	10,25	205	13	11	0,0293
NX3004	Cable trunking	25x16	128	14,59	205	21	13	0,0560
NX3005	Cable trunking	25x25	80	14,22	205	21	13	0,0560
NX3006	Cable trunking	40x16	80	17,00	205	21	13	0,0560
NX3007	Cable trunking	40x25	50	14,58	205	25	12	0,0615
NX3008	Cable trunking	40x40	60	21,83	205	25	23,5	0,1204
NX3009	Cable trunking	60x40	40	19,50	205	25	21	0,1076
NX3010	Cable trunking	60x60	32	13,47	205	19,5	16	0,0640
NX3011	Cable trunking	80x40	30	18,36	205	25	21	0,1076
NX3012	Cable trunking	80x60	18	12,90	205	17,5	10,5	0,0377
NX3013	Cable trunking	100x40	24	15,80	205	21	26	0,1119
NX3014	Cable trunking	100x60	16	14,00	205	22	11,5	0,0519
NX3015	Cable trunking	120x60	12	13,12	205	21	13	0,0560

CABLE TRUNKING WITH ADHESIVE TAPE

are an effective and easy solution for organizing electrical wiring. Using high-quality materials, the integrated adhesive tape adds extra durability, making it an excellent choice for wiring branching. Choose our cable trunking for efficiency and convenience in use.



Code	Name	Size, mm	Meters/ box	Weight box, kg	Length, cm	Width, cm	Height, cm	Volume, m3
NX3100	Cable trunking with adhesive tape	12x12	140	7,94	205	13	10	0,0267
NX3101	Cable trunking with adhesive tape	15x10	144	10,20	205	12	9,9	0,0244
NX3102	Cable trunking with adhesive tape	16x16	80	9,00	205	13	10	0,0267
NX3103	Cable trunking with adhesive tape	20x10	108	10,15	205	13	11	0,0293
NX3104	Cable trunking with adhesive tape	25x16	112	13,07	205	18	12,5	0,0461
NX3105	Cable trunking with adhesive tape	25x25	64	11,60	205	18	9,5	0,0351
NX3106	Cable trunking with adhesive tape	40×16	70	14,92	205	25	11	0,0564
NX3107	Cable trunking with adhesive tape	40x25	40	11,66	205	25	9,5	0,0487
NX3108	Cable trunking with adhesive tape	40×40	60	21,00	205	20	25	0,1025
NX3109	Cable trunking with adhesive tape	60x40	40	20,75	205	25	22	0,1128
NX3110	Cable trunking with adhesive tape	60x60	32	16,31	205	21	17,5	0,0753

CABLE TRUNKING WITH DOUBLE LOCK

are a reliable choice for organizing electrical wiring. The double lock ensures extra durability and safety, providing a reliable cable retention in the trunking. This is a simple and effective way to ensure an organized appearance of the space and durability of your electrical wiring.






Code	Name	Size, mm	Meters/ box	Weight box, kg	Length, cm	Width, cm	Height, cm	Volume, m3
NX3200	Cable trunking with double lock	12x12	160	10,50	205	13	10	0,0267
NX3201	Cable trunking with double lock	15x10	160	12,32	205	14	11	0,0316
NX3202	Cable trunking with double lock	16x16	96	8,78	205	14	11	0,0316
NX3203	Cable trunking with double lock	20x10	120	11,00	205	13	10	0,0267
NX3204	Cable trunking with double lock	25x16	128	15,27	205	25	14	0,0718
NX3205	Cable trunking with double lock	25x25	80	13,20	205	20	13	0,0533
NX3206	Cable trunking with double lock	40x16	80	16,50	205	21	12	0,0517
NX3207	Cable trunking with double lock	40x25	50	13,23	205	25	12	0,0615
NX3208	Cable trunking with double lock	40x40	60	21,25	205	25	23	0,1179
NX3209	Cable trunking with double lock	60x40	40	18,49	205	25	21	0,1076
NX3210	Cable trunking with double lock	60x60	24	16,50	205	24	17	0,0836
NX3211	Cable trunking with double lock	80x40	30	18,36	205	25	21	0,1076
NX3212	Cable trunking with double lock	80x60	18	12,90	205	17,5	10,5	0,0377
NX3213	Cable trunking with double lock	100x40	24	15,80	205	21	26	0,1119
NX3214	Cable trunking with double lock	100x60	16	14,00	205	22	11,5	0,0519
NX3215	Cable trunking with double lock	120x60	12	13,12	205	21	13	0,0560

CABLE TRUNKING WITH DOUBLE LOCK WITH ADHESIVE TAPE

are an advanced system for organizing electrical wiring. The double lock ensures strength, while the adhesive tape adds extra fixation, providing stability of the channel and safety in cable retention. This is an effective solution for a reliable and organized wiring system in your space, where every detail is considered for your safety and comfort.



Code	Name	Size, mm	Meters/ box	Weight box, kg	Length, cm	Width, cm	Height, cm	Volume, m3
NX3300	Cable trunking with double lock with adhesive tape	12x12	140	7,94	205	13	10	0,0267
NX3301	Cable trunking with double lock with adhesive tape	15×10	144	10,20	205	12	9,9	0,0244
NX3302	Cable trunking with double lock with adhesive tape	16x16	80	9,00	205	13	10	0,0267
NX3303	Cable trunking with double lock with adhesive tape	20x10	108	10,15	205	13	11	0,0293
NX3304	Cable trunking with double lock with adhesive tape	25x16	112	13,07	205	18	12,5	0,0461
NX3305	Cable trunking with double lock with adhesive tape	25x25	90	16,31	205	18	13	0,0480
NX3306	Cable trunking with double lock with adhesive tape	40x16	84	17,90	205	25	13	0,0666
NX3307	Cable trunking with double lock with adhesive tape	40x25	54	15,74	205	25	13	0,0666
NX3308	Cable trunking with double lock with adhesive tape	40×40	60	21,00	205	20	25	0,1025
NX3309	Cable trunking with double lock with adhesive tape	60x40	24	12,45	205	25	13	0,0666
NX3310	Cable trunking with double lock with adhesive tape	60x60	24	12,23	205	21	13	0,0560

ELECTROTECHNICAL PIPES

Our electrotechnical pipes are the ideal solution for laying electrical cables. With the ability to easily connect to each other, they are available in lengths of 2 m or 3 m. Our pipes provide an efficient and reliable system for laying cables, allowing you to easily manage electrical wiring in your space.



Code	Name	Size	Meters/ box	Weight box, kg	Length, cm	Width, cm	Height, cm	Volume, m3
NX3500	Electrotechnical pipe	016 mm, 2 m	160	18,00	200,5	17	17	0,0579
NX3501	Electrotechnical pipe	020 mm, 2 m	120	17,00	200,5	17	16	0,0545
NX3502	Electrotechnical pipe	025 mm, 2 m	100	21,80	200,5	17	17	0,0579
NX3503	Electrotechnical pipe	032 mm, 2 m	60	17,50	200,5	20	23	0,0922
NX3504	Electrotechnical pipe	040 mm, 2 m	40	12,10	200,5	21	21	0,0884
NX3505	Electrotechnical pipe	Ø50 mm, 2 m	20	6,05	200,5	15,5	15,5	0,0482
NX3506	Electrotechnical pipe	063 mm, 2 m	40	12,10	200,5	21	21	0,0884
NX3510	Electrotechnical pipe	Ø16 mm, 3 m	180	18,70	300,5	17	16	0,0817
NX3511	Electrotechnical pipe	020 mm, 3 m	120	19,10	300,5	17	16	0,0817
NX3512	Electrotechnical pipe	025 mm, 3 m	90	19,70	300,5	17	16	0,0817
NX3513	Electrotechnical pipe	032 mm, 3 m	90	25,10	300,5	21	21	0,1325
NX3514	Electrotechnical pipe	Ø40 mm, 3 m	60	20,60	300,5	21	21	0,1325
NX3515	Electrotechnical pipe	Ø50 mm, 3 m	30	10,30	300,5	15,5	15,5	0,0722
NX3516	Electrotechnical pipe	063 mm, 3 m	60	20,60	300,5	21	21	0,1325

FLOOR CABLE TRUNKING

Our semi-circular floor cable trunking are the perfect solution for organizing and protecting electrical cables on the floor. With their unique design and easy connection system, these trunkings offer convenience and efficiency in cable placement. Available in lengths of 2 m or 3 m, our floor cable trunking create an organized and safe system for conducting cable infrastructure in your space.



Code	Name	Size	Meters/ box	Weight box, kg	Length, cm	Width, cm	Height, cm	Volume, m3
NX3400	Floor cable trunking	50x12 mm, 2m	28	12,01	205	20	5	0,0205
NX3401	Floor cable trunking	70x18 mm, 2m	28	23,10	205	28	7	0,0402
NX3402	Floor cable trunking	90x20 mm, 2m	20	17,94	205	27	8	0,0443



GROUP SOCKET AND EXTENSION CORDS

Our group sockets and extension cords embody a combination of high quality, ease of assembly, and unique design, providing you with reliable and convenient solutions for your electrical installation.

Made from high-quality materials, our group sockets and extension cords ensure long service life and resistance to operational loads. The unique design we implement not only emphasizes their functionality but also adds an aesthetic layer to your space.

Ease of assembly is a key aspect of our products, making them ideal for quick and efficient installation. We offer group sockets and extension cords in white and black colors, with and without grounding, various cable lengths, as well as with and without a switch.

Moreover, you can choose group socket and extension cords with different cable lengths, adapted to the specific requirements of your electrical installation. We understand the importance of individual needs of our clients, therefore, we offer flexible solutions for various usage scenarios.

You will receive not only high quality but also convenience in use, making our group sockets and extension cords an essential part of your electrical system.

Choose our products to ensure reliability, ease of management, and aesthetics in every touch with electrotechnics. Our wide range of options allows you to find the optimal solution for any needs of your project.



GROUP SOCKET AND EXTENSION CORDS (WITH GROUNDING)













Code	Name	Length, m	Color	Pcs in box	Weight box, kg	Volume, m3
NX501200	2-Gang Group socket with grounding	_	white	35	4,25	0,0197
NX511200	E during droup socket with grounding		black	23	7,23	0,0137
NX501202	Extension cord 2/2m with grounding	2	white	15	4,92	0,0194
NX511202	Extension cord 2/2m with grounding		black	13	4,52	0,0154
NX501203	Extension cord 2/3m with grounding	3	white	15	6,08	0,0194
NX511203	Extension cord 27 3m with grounding	3	black	13	0,00	0,0134
NX501205	Extension cord 2/5m with grounding	5	white	14	9,56	0,0197
NX511205	Extension cord 27 3m with grounding	3	black		3,30	0,0137
NX501300	3-Gang Group socket with grounding	_	white	30	4,75	0,0197
NX511300	5 daily droup socket with grounding		black	50	7,73	0,0157
NX501302	Extension cord 3/2m with grounding	2	white	16	6,79	0,0197
NX511302	Extension cord 3/2m with grounding		black	10	0,73	0,0137
NX501303	Extension cord 3/3m with grounding	3	white	14	6,13	0,0194
NX511303	Extension cord 3/ 3m with grounding	3	black		0,13	0,0134
NX501305	Extension cord 3/5m with grounding	5	white	12	7,16	0,0194
NX511305	Extension cord 3/ 3m with grounding	,	black	12	7,10	0,0154
NX501400	4-Gang Group socket with grounding	_	white	25	4,88	0,0194
NX511400	4 daily droup socket with grounding		black	LJ	4,00	0,0154
NX501402	Extension cord 4/2m with grounding	2	white	12	4,77	0,0194
NX511402	Excension cord 4/ Em with grounding	_	black		7,77	0,0154
NX501403	Extension cord 4/3m with grounding	3	white	12	5,69	0,0197
NX511403	excension cord 4/ 5in with grounding	J	black	1.2	5,05	0,0137
NX501405	Extension cord 4/5m with grounding	5	white	10	6,32	0,0197
NX511405	Excension cord 4/ 3m with grounding	J	black	10	0,32	0,0137

Our group sockets and extension cords with grounding are a reliable and safe choice for your electrical needs. Grounding provides an additional level of protection, and the group socket and cords allow easy connection and distribution of electrical power.

Thanks to grounding, our group sockets and extension cords guarantee safe use, helping to prevent electrical risks. Their durable performance and easy use make them an ideal choice for home or office, where reliable electrical power is needed.

	Code	Name	Length, m	Color	Pcs in box	Weight box, kg	Volume, m3
Co. Co.	NX501500	Cons Crown socket with grounding		white	20	4 5 4	0.0407
	NX511500	5-Gang Group socket with grounding	-	black	20	4,51	0,0197
	NX501502	Extension sord E/2m with grounding	7	white	17	E 11	0.0407
	NX511502	Extension cord 5/2m with grounding	2	black	12	5,14	0,0197
Co Marie	NX501503	Extension sand E/2m with grounding	3	white	12	c 0c	0,0197
	NX511503	Extension cord 5/3m with grounding	3	black	12	6,06	0,0197
	NX501505	Extension cord 5/5m with grounding	5	white	10	7,51	0,0197
and and an artist of the second	NX511505	extension cord 5/5m with grounding	J	black	10	7,51	0,0197
6	NX501600	6-Gang Group socket with grounding		white	20	5,20	0,0194
00000	NX511600	6-daily droup socket with grounding	-	black	20	3,20	0,0194
	NX501602	Extension cord 6/2m with grounding	2	white	10	4,62	0,0194
	NX511602	extension cord 6/2m with grounding	2	black	10	4,02	0,0194
	NX501603	Extension cord 6/3m with grounding	3	white	10	5,40	0,0194
	NX511603	extension cord o/ 5m with grounding	J	black	10	3,40	0,0154
	NX501605	Extension cord 6/5m with grounding	5	white	10	6,82	0,0194
	NX511605	Extension cord of an with grounding	J	black	10	0,02	0,0134

GROUP SOCKET AND EXTENSION CORDS (WITHOUT GROUNDING)

	Code	Name	Length, m	Color	Pcs in box	Weight box, kg	Volume, m3
	NX500200	2 Cana Craun cocket without grounding		white	40	4,11	0,0197
æ.	NX510200	2-Gang Group socket without grounding	_	black	40	4,11	0,0197
10	NX500202	Extension cord 2/2m without grounding	2	white	18	4,82	0,0194
	NX510202	extension cord 2/2m without grounding	۷	black	10	4,02	0,0154
_0/69K	NX500203	Extension cord 2/3m without grounding	3	white	16	5,39	0,0194
	NX510203	extension cord 2/3111 without grounding	5	black	10	5,59	0,0194
	NX500205	Extension cord 3/Em without grounding	5	white	14	0.06	0,0197
	NX510205	Extension cord 2/5m without grounding	כ	black	14	8,86	0,0197
	NX500300	2 Cana Croup cocket without grounding		white	35	4 5 5	0,0197
	NX510300	3-Gang Group socket without grounding	-	black	22	4,56	0,0197
	NX500302	Extension cord 2/2m without grounding	2	white	15	4.40	0.0403
	NX510302	extension cora 2/2m without grounding	2	black	15	4,40	0,0192
WES	NX500303	Extension good 2/2m without arounding	7	white	45	F 40	0.0403
	NX510303	Extension cord 3/3m without grounding	3	black	15	5,18	0,0192
	NX500305		-	white	47	7.00	0.0407
	NX510305	Extension cord 3/5m without grounding	5	black	12	7,80	0,0197
	NX500400	A Cana Croup and let without avounding		white	25	4.42	0.0404
	NX510400	4-Gang Group socket without grounding	-	black	25	4,12	0,0194
10	NX500402	Extension sand 4/2m without grounding	2	white	14	5,83	0.0104
	NX510402	Extension cord 4/2m without grounding	2	black	14	5,83	0,0194
_	NX500403	Extension sand 4/2m without arounding	7	white	1.4	7 77	0.0404
	NX510403	Extension cord 4/3m without grounding	3	black	14	7,27	0,0194
	NX500405	Extension cord 4/Em without arounding	_	white	17	0.05	0,0194
- Can	NX510405	Extension cord 4/5m without grounding	5	black	12	8,05	U,U 194

Our group sockets and extension cords without grounding are practical and convenient solutions for your electrical equipment. They allow easy connection and distribution of electrical power without the need for grounding.

These group sockets and extension cords are designed for convenience and efficiency in use. With their compact design and simple use, they are perfectly suited for situations where grounding is not mandatory, but reliable electrical supply is needed.

	Code	Name	Length, m	Color	Pcs in box	Weight box, kg	Volume, m3
6	NX500500	F. Cana Crawa and act without arounding		white	20	2.05	0.0407
Contract of the second	NX510500	5-Gang Group socket without grounding	-	black	20	3,85	0,0197
	NX500502	Extension cord E/2m without grounding	7	white	14	4.06	0,0197
	NX510502	Extension cord 5/2m without grounding	2	black	14	4,96	0,0197
Contract the second	NX500503	Extension cord 5/3m without grounding	3	white	14	5,85	0,0197
	NX510503	extension cord 5/3111 without grounding	3	black	14	5,05	0,0197
	NX500505	Extension cord 5/5m without grounding	5	white	12	6,71	0,0197
- GA	NX510505	extension cord 3/3111 without grounding	J	black	12	0,71	0,0157
6	NX500600	6-Gang Group socket without grounding		white	20	4,41	0,0194
	NX510600	o-daily droup socket without grounding	_	black	20	4,41	0,0154
	NX500602	Extension cord 6/2m without grounding	2	white	12	4,29	0,0194
	NX510602	extension cord o/2m without grounding	۷	black	12	4,23	0,0154
	NX500603	Extension cord 6/3m without grounding	3	white	10	5,53	0,0194
	NX510603	extension cord 6/3111 without grounding	5	black	10	5,55	0,0194
	NX500605	Extension cord 6/5m without grounding	5	white	10	5,81	0.0194
- CA	NX510605	Extension cold 6/3111 without glouifully	כ	black	10	3,01	U,U 154

GROUP SOCKET AND EXTENSION CORDS WITH A BUTTON (WITH GROUNDING)

	Code	Name	Length, m	Color	Pcs in box	Weight box, kg	Volume, m3
	NX503200	2-Gang Group socket with ground-		white	25	4.25	0.0407
	NX513200	ing with a button	-	black	35	4,25	0,0197
	NX503202	Extension cord 2/2m with grounding	2	white	15	4,92	0,0194
	NX513202	with a button	2	black	כו	4,92	0,0194
WEST	NX503203	Extension cord 2/3m with grounding	3	white	15	C 00	0,0194
	NX513203	with a button	3	black	15	6,08	0,0194
	NX503205	Extension cord 2/5m with grounding with a button		white	14	0 56	0.0107
	NX513205	with a button	5	black	14	9,56	0,0197
Can .	NX503300	3-Gang Group socket with ground-		white	30	4,75	0,0197
	NX513300	ing with a button		black	20	4,73	0,0137
	NX503302	Extension cord 3/2m with grounding	2	white	16	6,79	0,0197
	NX513302	with a button		black	10	0,75	0,0137
W. S.	NX503303	Extension cord 3/3m with grounding	3	white	14	6,13	0,0194
	NX513303	with a button	3	black	14	0,15	0,0134
	NX503305	Extension cord 3/5m with grounding	5	white	12	7,16	0,0194
	NX513305	with a button	J	black	12	7,10	0,0134
	NX503400	4-Gang Group socket with ground-	_	white	25	4,88	0,0194
Contract of the contract of th	NX513400	ing with a button		black	23	4,00	0,0154
-	NX503402	Extension cord 4/2m with ground-	2	white	12	4,77	0.0194
	NX513402	ing with a button	_	black		7,11	0,0154
C WIEY	NX503403	Extension cord 4/3m with ground-	3	white	12	5,69	0,0197
	NX513403	ing with a button	J	black		5,05	0,0137
	NX503405	Extension cord 4/5m with ground-	5	white	10	6,32	0,0197
- Ja	NX513405	ing with a button	J	black	10	0,32	0,0137

Our group sockets and extension cords with a button and grounding are smart solutions for providing safe and convenient control of your electrical devices. The button allows easy on and off power control, while grounding offers an additional level of protection from electrical interferences.

These group sockets and extension cords with grounding and a button are designed considering your comfort and safety. They provide the ability to efficiently use electrotechnics, ensuring protection from potential risks at the same time.










Code	Name	Length, m	Color	Pcs in box	Weight box, kg	Volume, m3
NX503500	5-Gang Group socket with grounding		white	20	4.51	0.0197
NX513500	with a button	-	black	20	4,51	0,0197
NX503502	Extension cord 5/2m with grounding	2	white	12	5,14	0.0197
NX513502	with a button		black	12	5,14	0,0157
NX503503	Extension cord 5/3m with grounding	3	white	12	6,06	0,0197
NX513503	with a button	5	black	12	0,00	0,0197
NX503505	Extension cord 5/5m with grounding	5	white	10	7,51	0,0197
NX513505	with a button		black			0,0197
NX503600	6-Gang Group socket with grounding		white	20	E 20	0.0404
NX513600	with a button	-	black	20	5,20	0,0194
NX503602	Extension cord 6/2m with grounding	2	white	10	4.63	0.0404
NX513602	with a button	۷	black	10	4,62	0,0194
NX503603	Extension cord 6/3m with grounding	2	white	40	F 40	0.0404
NX513603	with a button	3	black	10	5,40	0,0194
NX503605	Extension cord 6/5m with grounding	F	white	40	6,82	0.0404
NX513605	with a button	5	black	10		0,0194

GROUP SOCKET AND EXTENSION CORDS WITH A BUTTON (WITHOUT GROUNDING)



Our group sockets and extension cords with a button without grounding are convenient and efficient solutions for managing your electrical devices. The button allows easy on and off power control, and the absence of grounding ensures simplicity in use.

These group sockets and extension cords with a button are created for your comfort and convenience. They allow you to effectively manage the power of your equipment, ensuring simplicity and reliability in use.









Code	Name	Length, m	Color	Pcs in box	Weight box, kg	Volume, m3
NX502500	5-Gang Group socket without		white	20	3,85	0,0197
NX512500	grounding with a button	-	black	20	5,05	0,0197
NX502502	Extension cord 5/2m without	2	white	14	4,96	0,0197
NX512502	grounding with a button	2	black	14	4,90	0,0197
NX502503	Extension cord 5/3m without	3	white	14	E 0E	0.0107
NX512503	grounding with a button	J	black	14	5,85	0,0197
NX502505	Extension cord 5/5m without	5	white	12	6,71	0.0407
NX512505	grounding with a button		black	12		0,0197
NX502600	6-Gang Group socket without	-	white	20	4,41	0.0404
NX512600	grounding with a button		black	20		0,0194
NX502602	Extension cord 6/2m without	2	white	12	4 70	0.0104
NX512602	grounding with a button	2	black	12	4,29	0,0194
NX502603	Extension cord 6/3m without	2	white	10	F F2	0.0404
NX512603	grounding with a button	3	black	10	5,53	0,0194
NX502605	Extension cord 6/5m without	F	white	40	F 04	0.0404
NX512605	grounding with a button	5	black	10	5,81	0,0194

GARDEN EXTENSION CORDS

Our garden extension cords are the perfect solution for your garden or yard. With one plug and one socket, they allow you to effectively branch your electrical power with a long wire.

Made from high-quality materials, our garden extension cords ensure reliability and resistance to external conditions. Their design, considering the needs of your garden, provides convenience and reliability in use.

With one plug and socket, these extension cords are ideal for use with power tools, lighting, or other electrical devices in your garden. Choose our garden extension cords to easily and efficiently provide electrical power in open spaces.



GARDEN EXTENSION CORDS (WITH GROUNDING), ANGLED PLUG

Code	Name	Length, m	Color	Pcs in box	Weight box, kg	Volume, m3
NX501102			white			
NX511102	Garden extension cord, 2 meters with grounding	2	black	25	7,92	0,0194
NX531102			orange			
NX501103			white			
NX511103	Garden extension cord, 3 meters with grounding	3	black	20	8,08	0,0194
NX531103			orange			
NX501105			white			
NX511105	Garden extension cord, 5 meters with grounding	5	black	15	7,85	0,0194
NX531105			orange			
NX501107			white	12		0,0194
NX511107	Garden extension cord, 7 meters with grounding	7	black		9,05	
NX531107			orange			
NX501110			white		9,04	
NX511110	Garden extension cord, 10 meters with grounding	10	black	10		0,0194
NX531110			orange			
NX501115			white			
NX511115	Garden extension cord, 15 meters with grounding	15	black	6	7,85	0,0179
NX531115			orange			
NX501120			white			
NX511120	Garden extension cord, 20 meters with grounding	20	black	5	8,50	0,0179
NX531120			orange			
NX501125			white			
NX511125	Garden extension cord, 25 meters with grounding	25	black	4	9,32	0,0194
NX531125			orange			



GARDEN EXTENSION CORDS (WITH GROUNDING), FLAT PLUG WITH HANDLE



Code	Name	Length, m	Length, m Color PC		Weight box, kg	Volume, m3	
NX504105			white				
NX514105	Garden extension cord, 5 meters with grounding	5	black	15	7,75	0,0194	
NX534105			orange				
NX504107			white				
NX514107	Garden extension cord, 7 meters with grounding	7	black	12	9,05	0,0194	
NX534107			orange				
NX504110		white					
NX514110	Garden extension cord, 10 meters with grounding	10	black	10	9,04	0,0194	
NX534110			orange				
NX504115		15	white	6	7,85		
NX514115	Garden extension cord, 15 meters with grounding		black			0,0179	
NX534115			orange				
NX504120			white				
NX514120	Garden extension cord, 20 meters with grounding	20	black	5	8,50	0,0179	
NX534120	orange						
NX504125			white				
NX514125	Garden extension cord, 25 meters with grounding	25	black	4	9,32	0,0194	
NX534125			orange				

GARDEN EXTENSION CORDS (WITH GROUNDING), STRAIGHT PLUG



Code	Name	Length, m	Color	Pcs in box	Weight box, kg	Volume, m3	
NX505105			white				
NX515105	Garden extension cord, 5 meters with grounding	5	black	15	7,75	0,0194	
NX535105			orange				
NX505107			white				
NX515107	Garden extension cord, 7 meters with grounding	7	black	12	9,05	0,0194	
NX535107			orange				
NX505110			white	10		0,0194	
NX515110	Garden extension cord, 10 meters with grounding	10	black		9,04		
NX535110			orange				
NX505115			white		7,85	0,0179	
NX515115	Garden extension cord, 15 meters with grounding	15	black	6			
NX535115			orange				
NX505120			white				
NX515120	Garden extension cord, 20 meters with grounding	20	black	5	8,50	0,0179	
NX535120			orange				
NX505125			white				
NX515125	Garden extension cord, 25 meters with grounding	25	black	4	8,27	0,0194	
NX535125			orange				


STRAIGHT PLUG GARDEN EXTEN-SION CORDS (WITHOUT GROUNDING)

	Code	Name	Length, m Color		Pcs in box	Weight box, kg	Volume, m3
ĺ	NX500102			white			
	NX510102	Garden extension cord, 2 meters without grounding	2	black	25	7,17	0,0194
	NX530102			orange			
	NX500103			white			
	NX510103	Garden extension cord, 3 meters without grounding	3	black	20	7,38	0,0194
	NX530103			orange			
	NX500105			white			
	NX510105	Garden extension cord, 5 meters without grounding	5	black	15	7,02	0,0194
	NX530105			orange			
	NX500107			white	15		0,0194
	NX510107	Garden extension cord, 7 meters without grounding	7	black		8,88	
	NX530107			orange			
	NX500110		10	white	10	7,46	
	NX510110	Garden extension cord, 10 meters without grounding		black			0,0194
	NX530110			orange			
	NX500115			white			
	NX510115	Garden extension cord, 15 meters without grounding	15	black	8	7,61	0,0194
	NX530115			orange			
	NX500120			white			
	NX510120	Garden extension cord, 20 meters without grounding	20	black	5	7,36	0,0194
	NX530120			orange			
	NX500125			white			0,0194
	NX510125	Garden extension cord, 25 meters without grounding	25	black	4	8,74	
		Theters without grounding					

orange



NX530125



CABLE WITH PLUG

Our cables with plugs are reliable solutions for providing electrical wiring under any conditions. The molded cable with a plug ensures reliability and longevity of the electrical connection.

We offer various plug variations, including those with and without grounding, as well as straight and angled models. This gives you the opportunity to choose the optimal variant for specific applications, wherever you are

Our cables with plugs and high-quality molded cable become a reliable foundation for your electrical system, ensuring efficient and safe power supply. Choose our products for reliability and flexibility in using electrotechnics.

CABLE WITH PLUG (WITH GROUNDING)



Code	Name	Length, m	Color	Pcs in box	Weight box, kg	Volume, m3
NX501001	Cable with plug at 1.5 me-	4.5	white	70	42.40	0.0427
NX511001	ters with grounding	1.5	black	72	12,18	0,0427
NX501002	Cable with plug at 2 meters	2	white	30	8,40	0.0404
NX511002	with grounding	2	black			0,0194
NX501003	Cable with plug at 3 meters	7	white	25	6,67	0.0404
NX511003	with grounding	3	black	25		0,0194
NX501005	Cable with plug at 5 meters	Г	white	20	10.55	0.0404
NX511005	with grounding	5	black	20	10,65	0,0194

CABLE WITH FLAT PLUG WITH HANDLE (WITH GROUNDING)



Code	Name	Length, m	Color	Pcs in box	Weight box, kg	Volume, m3
NX504001	Cable with flat plug with handle 1.5 meters with	4.5	white	60	40.45	0.0427
NX514001	grounding	1.5	black	60	10,15	0,0427
NX504002	Cable with flat plug with handle at 2 meters with	2	white	20	8,40	0.0404
NX514002	grounding	2	black	30		0,0194
NX504003	Cable with flat plug with	3	white	25		0.0404
NX514003	grounding	3	black	25	6,67	0,0194
NX504005	Cable with flat plug with	5	white	20	40.00	0.0404
NX514005	handle at 5 meters with 4005 grounding		black	20	10,65	0,0194

CABLE WITH PLUG (WITHOUT GROUNDING)



Code	Name	Length, m	Color	Pcs in box	Weight box, kg	Volume, m3
NX500001	Cable with plug at 1.5 me-	4.5	white	0.0	44.00	0.0427
NX510001	ters without grounding	1.5	black	90	11,88	0,0427
NX500002	Cable with plug at 2 meters	2	white	72	12,58	0.0404
NX510002	without grounding	2	black	72		0,0194
NX500003	Cable with plug at 3 meters	3	white	100		0.0404
NX510003	without grounding	3	black	100	22,42	0,0194
NX500005	Cable with plug at 5 meters	5	white	0.0	77.44	0.0404
NX510005	without grounding	5	black	80	33,14	0,0194

EXTENSION REELS

are the perfect solution for providing electrical supply at the garden site, construction, or other similar works. Each reel is equipped with 4 sockets, allowing multiple electrical devices to be connected simultaneously, ensuring efficiency and convenience.

We offer various wire length variations to meet your specific needs at the garden site, during construction, or other similar works. This provides flexibility in use and ensures optimal power supply for your work.

Choose our reels for uninterrupted and convenient electrical supply under any work conditions. Our reels with a button and built-in fuse are a smart and safe solution for providing reliable power supply.

The button allows easy control of connected devices, and the built-in fuse ensures additional protection from overloads and short circuits, securing safety and longevity of the electrical equipment. Plastic reel medium with 4 sockets with grounding













Code	Name	Length, m	Pcs/ pack	Weight pcs, kg	Weight box, kg	Length, cm	Width, cm	Height, cm
NX616403	Extension reel in closed	3	8	1,05	8,36	35	32	18
NX616405	case with grounding	5	8	1,26	10,04	35	32	18
NX617405	Extension reel in closed	5	4	1,31	5,22	37	30	25
NX617407	case with grounding, with handle	7	4	1,52	6,06	37	30	25
NX610410	Extension reel with grounding (Ø185мм)	10	1	2,08	2,08	25	20	35
NX610415		15	1	2,61	2,61	25	20	35
NX610420		20	1	3,13	3,13	25	20	35
NX611420		20	1	3,21	3,21	30	22	37
NX611425	Extension reel with grounding	25	1	3,74	3,74	30	22	37
NX611430	(0250мм)	30	1	4,26	4,26	30	22	37
NX611440		40	1	5,31	5,31	30	22	37
NX612420		20	1	3,29	3,29	35	22	40
NX612425	Extension reel with grounding (0275мм)	25	1	3,82	3,82	35	22	40
NX612450		50	1	6,44	6,44	35	22	40

GARDEN REELS (WITH GROUNDING)

Our garden reels are equipped not only with a socket for connection, a long wire, and a plug but also a grounding system for an extra level of safety. This ensures reliable and safe power supply for your garden equipment or lighting in outdoor conditions.


The combination of ease of use and protection from potential risks makes our reels ideal for use in the garden or yard.

	Code	Name	Length, m	Pcs/ pack	Weight pcs, kg	Weight box, kg	Length, cm	Width, cm	Height, cm
	NX610010		10	1	2,08	2,08	25	20	35
	NX610015	Garden extension reel with grouding (Ø185мм)	15	1	2,61	2,61	25	20	35
	NX610020		20	1	3,13	3,13	25	20	35
	NX611020		20	1	3,21	3,21	30	22	37
	NX611025	Garden extension reel with grouding (Ø250мм)	25	1	3,74	3,74	30	22	37
	NX611030		30	1	4,26	4,26	30	22	37
	NX611040		40	1	5,31	5,31	30	22	37
	NX612020		20	1	3,29	3,29	35	22	40
	NX612025	Garden extension reel with grouding (0275мм)	25	1	3,82	3,82	35	22	40
	NX612050		50	1	6,44	6,44	35	22	40

GARDEN REELS (WITHOUT GROUNDING)

Our garden reels without grounding are a convenient and practical solution for extending electrical wiring in your garden or yard. Each reel is equipped with one plug for connection and one socket for convenient use of electrical appliances. This extension on a reel stands out for its compactness and ease of transportation, making it an ideal option for use in the garden or on the plot. This practical solution for providing electrical supply to various garden tools or lighting eliminates the need for complex installation.





DISTRIBUTION BOXES FOR AUTO-MATIC SWITCHES

Our distribution boxes for automatic switches are a reliable and safe solution for protecting electrical systems. We offer two variations: hidden and external boxes, allowing you to choose the optimal option according to your project or needs.

Hidden boxes are ideally suited for instances where you need to integrate automatic switches into a wall or another internal space. This ensures an aesthetic appearance and volumetric safety in the electrical system.


External boxes are excellent for protecting switches from weather conditions and providing easy access for maintenance. They allow for effective handling of external influences, ensuring a high level of safety for your electrical system.

Choose our boxes for automatic switches to ensure reliable protection and convenient use of your electrical devices.





FLUSH MOUNTED DISTRIBUTION BOXES





Code	Name	Neutral busbar / holes pcs	Pcs/pack	Weight pcs, kg	Weight box, kg	Length, cm	Width, cm	Height, cm
NX4202	2 module distribution box	0	16	0,25	4,00	30	40,5	21,5
NX4204	4 module distribution box	1/4	18	0,29	5,22	30,5	44,5	30
NX4206	6 module distribution box	1/4	9	0,40	3,60	30,5	45	19
NX4208	8 module distribution box	1/6	12	0,55	6,60	36	46	31
NX4212	12 module distribution box	1/9	6	0,90	5,40	31	42,5	31
NX4216	16 module distribution box	2/6	6	1,00	6,00	30,5	45,5	30,5
NX4224	24 module distribution box	2/9	4	1,30	5,20	33	42	31
NX4236	36 module distribution box	2/9	3	1,80	5,40	30,5	44	30,5







Art. / Apt.	Modules /	Dimention / Розміри				
Art. / Apr.	Модулі	Α	В	С	D	
NX4202	2	100	140	95	22	
NX4204	4	140	140	96	23	
NX4206	6	180	140	96	23	
NX4208	8	220	170	97	24	
NX4212	12	300	200	98	25	
NX4216	16	220	290	97	24	
NX4224	24	300	320	98	25	
NX4236	36	300	430	98	25	


SURFACE MOUNTED DISTRIBUTION BOXES





Code	Name	Neutral busbar / holes pcs	Pcs/pack	Weight pcs, kg	Weight box, kg	Length, cm	Width, cm	Height, cm
NX4302	2 module distribution box	0	16	0,27	4,35	30	40,5	21,5
NX4304	4 module distribution box	1/4	18	0,30	5,46	30,5	44	30
NX4306	6 module distribution box	1/4	9	0,43	3,87	30,5	45	19
NX4308	8 module distribution box	1/6	12	0,53	6,39	36	46	30,6
NX4312	12 module distribution box	1/9	6	0,95	5,70	31	42,5	31
NX4316	16 module distribution box	2/6	6	1,05	6,30	30,5	45,5	30,5
NX4324	24 module distribution box	2/9	4	1,40	5,60	33	42	31
NX4336	36 module distribution box	2/9	3	1,85	5,55	30,5	44	30,5





Art. / Apt.	Modules /	Dimention / Розміри					
AIL / Api.	Модулі	Α	В	С	D		
NX4302	2	100	140	95	22		
NX4304	4	140	140	96	23		
NX4306	6	180	140	96	23		
NX4308	8	220	170	97	24		
NX4312	12	300	200	98	25		
NX4316	16	220	290	97	24		
NX4324	24	300	320	98	25		
NX4336	36	300	430	98	25		

DIN RAILS FOR AUTOMATIC SWITCHES


Our DIN-rails are designed for convenient and reliable installation of automatic switches in your electrical system. Made from high-quality materials, they ensure strength and longevity. Installing our DIN rails will allow you to easily organize your electrical distribution system, ensuring reliable operation of your equipment.



Code	Name	Size, mm	Pcs/pack	Weight, pcs, kg	Weight box, kg	Length, cm	Width, cm	Height, cm
NX49100	Din rails for automatic switches 1 m	35x7.5x0.9	20	0,30	5,90	100,5	9	5
NX49125	Din rails for automatic switches 1.25 m	35x7.5x0.9	20	0,37	7,43	125,5	9	5
NX49150	Din rails for automatic switches 1.50 m	35x7.5x0.9	20	0,44	8,89	150,5	9	5
NX49200	Din rails for automatic switches 2 m	35x7.5x0.9	20	0,59	11,88	200,5	9	5

^{*}possible production by individual order






Our range of accessories includes various components designed for convenience and expansion of capabilities of your electrical system. From electrical plugs and sockets to splitters, adapters, and converters - we offer a wide selection of products for different requirements and usage scenarios.

Electrical plugs, sockets, and adapters allow for convenient and reliable connections between electrical devices.

Our 2 and 3 gang sockets expand the number of possible connections, providing convenience in using your electrical system .

Choose our electrical installation accessories to ensure reliability and flexibility in every aspect of your project. Our products are made from high-quality materials, guaranteeing durability and safety in use.



Earthed L-plug

WHITE: NX1005



Psc. per pack	35
Pcs. per box	210
Weight, pcs	0,03
Weight box, kg	7,08

BLACK: NX1105



Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	N N427

Earthed L-plug standard

WHITE: NX1004



Psc. per pack	40
Pcs. per box	240
Weight, pcs	0,04
Weight box, kg	8,86

BLACK: NX1104



Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427


BLACK: NX1100

Earthed plug with handle

WHITE: NX1006







(2)

Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

Earthed straight plug

WHITE: NX1000



Psc. per pack	40
Pcs. per box	240
Weight, pcs	0,04
Weight box, kg	8,86

(2)

Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

Earthed female plug

WHITE: NX1008



Psc. per pack	20
Pcs. per box	120
Weight, pcs	0,05
Weight box, kg	6,34

BLACK: NX1108



Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

Small plug with L wire entry

WHITE: NX1003



Psc. per pack	50
Pcs. per box	300
Weight, pcs	0,02
Weight box, kg	7,08

BLACK: NX1103



Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

Earthed plug with straight wire entry

WHITE: NX1001

BLACK: NX1101



Psc. per pack	45
Pcs. per box	270
Weight, pcs	0,03
Weight box, kg	8,54

Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

Plug

WHITE: NX1002



Psc. per pack	50
Pcs. per box	300
Weight, pcs	0,03
Weight box, kg	8,47



BLACK: NX1102

Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

Flat plug

WHITE: NX1007

BLACK: NX1107





Psc. per pack	100
Pcs. per box	600
Weight, pcs	0,02
Weight box, kg	9,34

Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

3 Gang socket plug adapter T type

WHITE: NX1019



Psc. per pack	45
Pcs. per box	270
Weight, pcs	0,03
Weight box, kg	7,06



BLACK: NX1119

Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

5 Gang socket plug adapter

WHITE: NX1027

Weight box, kg

BLACK: NX1127





7,75



Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

MK Plug adapter UK to EU type

WHITE: NX1029



BLACK: NX1129

Psc. per pack	35
Pcs. per box	210
Weight, pcs	0,03
Weight box, kg	5,95

Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

European plug adapter universal type

WHITE: NX1028



4		

BLACK: NX1128

Psc. per pack	35
Pcs. per box	210
Weight, pcs	0,04
Weight box, kg	8,86

Length, cm46Width, cm32Height, cm29Volume, m30,0427

Ultra-thin plug with movable contact with earthing

WHITE: NX1030



Psc. per pack	1
Pcs. per box	90
Weight, pcs	0,06
Weight box, kg	5,00

BLACK: NX1130



Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

3 Gang earthed socket plug

WHITE: NX1014



Psc. per pack	10
Pcs. per box	60
Weight, pcs	0,12
Weight box, kg	6,90

BLACK: NX1114



Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

2 Gang earthed socket plug

WHITE: NX1012



Psc. per pack	14
Pcs. per box	84
Weight, pcs	0,10
Weight box, kg	8,22

BLACK: NX1112



Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

3 Gang socket plug

WHITE: NX1015



Psc. per pack	12
Pcs. per box	72
Weight, pcs	0,08
Weight box, kg	6,00

BLACK: NX1115



Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

2 Gang socket plug

WHITE: NX1013



Psc. per pack	15
Pcs. per box	90
Weight, pcs	0,08
Weight box, kg	7,42

BLACK: NX1113



Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

RUBBER CONNECTORS

Our rubber accessories are the ideal choice for those seeking high-quality and resistant solutions for electrical connections. Sockets, straight plugs, and angled plugs, made from quality rubber, provide them with properties of strength and flexibility.

Our rubber sockets ensure reliable and safe electrical connections. They are resistant to external factors such as moisture and temperature changes, making them ideal for use under various conditions.

Straight and angled plugs made from rubber allow for easy and reliable connection of your electrical devices. The flexibility of the material provides ease of use and durability of the products.

Choose our rubber accessories to ensure reliability and resistance in your electrical system, even under harsh operating conditions.

Rubber Earthed straight plug

BLACK: NX2000 RED: NX2200





Psc. per pack	20
Pcs. per box	120
Weight, pcs	0,06
Weight box, kg	7,22

Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

Rubber Earthed L-plug

BLACK: NX1013



Psc. per pack	30
Pcs. per box	180
Weight, pcs	0,06
Weight box, kg	10,23



RED: NX1113

Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

Rubber Earthed straight socket with cover

BLACK: NX2004 RED: NX2204



Psc. per pack	15
Pcs. per box	90
Weight, pcs	0,08
Weight box, kg	7,32



Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

Rubber Earthed L-plug

BLACK: NX2002



Psc. per pack	30
Pcs. per box	180
Weight, pcs	0,06
Weight box, kg	10,23



RED: NX2202

Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427



MOUNTING BOXES

Our junction boxes are an essential element for organizing electrical wiring in an interior or on an external wall. We offer options for embedding in concrete or drywall walls, as well as hidden and external boxes for branching electrical lines.

Junction boxes for concrete or drywall walls integrate perfectly into the structure, providing an opportunity to efficiently place sockets and switches. They ensure convenience and safety in installing electrical devices in your premises.

Hidden junction boxes allow keeping wires out of sight, ensuring a clean and organized appearance of walls. This is particularly important for those who pay attention to design and integrated systems.

External junction boxes are ideal for protecting electrical wiring outdoors and in conditions where resistance to external influences is crucial.

Choose our installation boxes - junction boxes for walls to ensure reliability, convenience, and an aesthetic appearance of your electrical system.



MOUNTING BOXES

NX1033

Flush mounting box for solid walls (Ø65mm, H=45mm)



Psc. per pack	1
Pcs. per box	100
Weight box, kg	1,64
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

NX1034

Flush mounting deep box for solid walls (065mm, H=60mm)



Psc. per pack	1
Pcs. per box	100
Weight box, kg	1,80
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

NX1035

Flush mounting solid wall box (065mm, H=45mm)



Psc. per pack	1
Pcs. per box	100
Weight box, kg	1,80
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

NX1032

Flush mounting box for drywall (065mm, H=45mm)



Psc. per pack	1
Pcs. per box	100
Weight box, kg	2,42
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

MBS021

Flush mounting junction box (with screws) (060mm, H=41mm)



Psc. per pack	1
Pcs. per box	200
Weight box, kg	2,73
Length, cm	85
Width, cm	50
Height, cm	16
Volume, m3	0,0680

MBS022

Flush mounting junction box (without screws) (Ø60mm, H=41mm)



Psc. per pack	1
Pcs. per box	200
Weight box, kg	2,47
Length, cm	85
Width, cm	50
Height, cm	16
Volume, m3	0,0680

MOUNTING BOXES

MBS023

Flush mounting universal box (with screws) (060mm, H=41mm)



Psc. per pack	1
Pcs. per box	200
Weight box, kg	2,34
Length, cm	85
Width, cm	50
Height, cm	16
Volume, m3	0.0680

MBS024

Flush mounting universal box (without screws) (Ø60mm, H=41mm)



Psc. per pack	1
Pcs. per box	200
Weight box, kg	2,08
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

JUNCTION BOXES

NX1040

Round Junction box for solid walls (075mm, H=45mm)



Psc. per pack	1
Pcs. per box	144
Weight box, kg	7,92
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

NX1041

Round Junction box for solid walls (Ø100mm, H=50mm)



Psc. per pack	1
Pcs. per box	60
Weight box, kg	2,70
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

NX1042

Round Junction box for dry walls (080mm, H=45mm)



Psc. per pack	1
Pcs. per box	34
Weight box, kg	3,08
Length, cm	50
Width, cm	44
Height, cm	18
Volume, m3	0,0396

WATERPROOF BOXES

NX1043

Waterproof junction box round (Ø80mm H=45 mm)



Psc. per pack	1
Pcs. per box	90
Weight box, kg	5,95
Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

NX1046

Waterproof junction box square (70x70x35 mm)



Psc. per pack	1
Pcs. per box	100
Weight box, kg	6,11
Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

NX1044

Waterproof junction box square (85x85x40 mm)



Psc. per pack	1
Pcs. per box	60
Weight box, kg	5,50
Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427

NX1045

Waterproof junction box square (100x100x50 mm)



Psc. per pack	1
Pcs. per box	34
Weight box, kg	4,14
Length, cm	46
Width, cm	32
Height, cm	29
Volume, m3	0,0427